



Robert Greene Sterne
Jorge A. Goldstein
David K.S. Cornwell
Robert W. Esmond
Tracy-Gene G. Durkin
Michael A. Cimbala
Michael B. Ray
Robert E. Sokohl
Eric K. Steffe
Michael Q. Lee
John M. Covert
Robert C. Millonig
Donald J. Featherstone
Timothy J. Shea, Jr
Michael V. Messinger
Judith U. Kim
Jeffrey T. Helvey
Eldora L. Ellison
Donald R. Banowitz
Peter A. Jackman

Brian J. Del Buono
Mark Fox Evens
Vincent L. Capuano
Elizabeth J. Haanes
Michael D. Specht
Kevin W. McCabe
Glenn J. Perry
Edward W. Yee
Grant E. Reed
Virgil Lee Beaton
Theodore A. Wood
Jason D. Eisenberg
Tracy L. Muller
Jon E. Wright
LuAnne M. DeSantis
Helene C. Carlson
Cynthia M. Bouchez
Timothy A. Doyle
Gaby L. Longworth
Lori A. Gordon

Laura A. Vogel
Bashir M.S. Ali
Shannon A. Carroll
Anbar F. Khal
Michelle K. Holoubek
Marsha A. Rose
Scott A. Schaller
Lei Zhou
W. Blake Coblentz
James J. Pohl
John T. Haran
Mark W. Rygiel
Michael R. Malek*
Carla Ji-Eun Kim
Doyle A. Siever*
Ulrike Winkler Jenks
Paul A. Calvo
C. Matthew Rozier*
Shameek Ghose
Jenny J. Yeh

Randall K. Baldwin
Daniel J. Nevriy
Lori M. Brandes
Jeffrey K. Mills*
Mita Mukherjee*
Scott M. Woodhouse*
Christian A. Camarce*
Richard D. Collier III*
Bonnie Nannenga-Combs
Alyssa K. Sandrowitz*
Ishan P. Weerakoon*

Gaurav Asthana
Stephanie L. Elmer
Robert E. Bakin
Salvador M. Bezos
Yasser Mourtada

Of Counsel
Edward J. Kessler
Kenneth C. Bass III
Marvin C. Guthrie
Christopher P. Wrist

*Registered Patent Agents**
Karen R. Markowicz
Matthew J. Dowd
Peter A. Socarras
Danielle L. Letting
Steven C. Oppenheimer
Aaron S. Lukas

*Admitted only in Maryland
*Admitted only in Virginia
•Practice Limited to
Federal Agencies

June 27, 2008

WRITER'S DIRECT NUMBER:
(202) 772-8774

INTERNET ADDRESS:
TDOYLE@SKGF.COM

Commissioner for Patents
PO Box 1450
Alexandria, VA 22313-1450

Art Unit 2817

Attn: Certificate of Correction Branch

Re: U.S. Utility Patent
Patent No. 6,696,898 B1; Issued: February 24, 2004
For: **Differential Crystal Oscillator**
Inventors: Ward *et al.*
Our Ref: 1875.095000C

Sir:

Transmitted herewith for appropriate action are the following documents:

1. Request for Certificate of Correction Under 37 C.F.R. § 1.322; and
2. Form PTO/SB/44 (1 sheet).

The above-listed documents are filed electronically through EFS-Web.

In the event that extensions of time are necessary to prevent abandonment of this patent application, then such extensions of time are hereby petitioned.

The U.S. Patent and Trademark Office is hereby authorized to charge any fee deficiency, or credit any overpayment, to our Deposit Account No. 19-0036.

Respectfully submitted,

STERNE, KESSLER, GOLDSTEIN & FOX P.L.L.C.

Timothy A. Doyle
Attorney for Patentees
Registration No. 51,262

TAD/ahw
Enclosures
839711_1.DOC

IN THE UNITED STATES PATENT AND TRADEMARK OFFICE

In re patent of:

Ward *et al.*

Patent. No. 6,696,898 B1

Issued: February 24, 2004

For: **Differential Crystal Oscillator**

Confirmation No. 9756

Art Unit: 2817

Examiner: David C. Mis

Atty. Docket: 1875.095000C

**Request for Certificate of Correction
Under 37 C.F.R. § 1.322**

Attn: Certificate of Correction Branch

Commissioner for Patents
PO Box 1450
Alexandria, VA 22313-1450

Sir:

It is hereby requested that a Certificate of Correction under 37 C.F.R. § 1.322 be issued for the above-captioned United States Patent. This Certificate of Correction is being requested due to a mistake that appears in the printed patent. This mistake was made by the United States Patent and Trademark Office (USPTO).

Specifically, the printed patent contains the following error for which a Certificate of Correction is respectfully requested:

In column 62, line 67 "oscillaor" should be replaced with --oscillator--. The spelling error in claim 10 was made by the USPTO because the word was spelled correctly in the specification as filed on November 3, 2003. Therefore, the patent should have issued with column 62, line 67 stating --oscillator-- instead of "oscillaor".

Remarks


The above-noted corrections do not involve such changes in the patent as would constitute new matter or would require reexamination.

A completed Form PTO/SB/44 accompanies this request, with the above-noted corrections printed thereon. Accordingly, a Certificate of Correction is believed proper and issuance thereof is respectfully requested.

The Commissioner is hereby authorized to charge any fee deficiency, or credit any overpayment, to our Deposit Account No. 19-0036.

Respectfully submitted,

STERNE, KESSLER, GOLDSTEIN & FOX P.L.L.C.

A handwritten signature in black ink, appearing to read "Timothy A. Doyle".

Timothy A. Doyle
Attorney for Patentees
Registration No. 51,262

Date: 27 JUN 08

1100 New York Avenue, N.W.
Washington, D.C. 20005-3934
(202) 371-2600

**UNITED STATES PATENT AND TRADEMARK OFFICE
CERTIFICATE OF CORRECTION**Page 1 of 1

PATENT NO: 6,696,898 B1

DATED: February 24, 2004

INVENTOR(S): Ward *et al.*

It is certified that error appears or errors appear in the above-identified patent and that said Letters Patent is hereby corrected as shown below.

Column 62

Line 67, "oscillaor" replace with --oscillator--.

MAILING ADDRESS OF SENDER (Please do not use customer number below):

1100 New York Avenue, NW

Washington DC 20005-3934

Atty. Dkt. No. 1875.095000C

This collection of information is required by 37 CFR 1.322, 1.323 and 1.324. The information is required to obtain or retain a benefit by the public which is to file (and by the USPTO to process) an application. Confidentiality is governed by 35 U.S.C. 122 and 37 CFR 1.14. This collection is estimated to take 1.0 hour to complete, including gathering, preparing, and submitting the completed application form to the USPTO. Time will vary depending upon the individual case. Any comments on the amount of time you are required to complete this form and/or suggestions for reducing this burden, should be sent to the Chief Information Officer, U.S. Patent and Trademark Office, U.S. Department of Commerce, P.O. Box 1450, Alexandria, VA 22313-1450. DO NOT SEND FEES OR COMPLETED FORMS TO THIS ADDRESS. **SEND TO: Attention Certificate of Corrections Branch, Commissioner for Patents, P.O. Box 1450, Alexandria, VA 22313-1450.**

If you need assistance in completing the form, call 1-800-PTO-9199 (1-800-786-9199) and select option 2.

DOC#839716_1.DOC